	SAFETY DATA SHEET	Page : 1 / 14
		Revision nr : 3
		Issue date : 09/03/2015
	BRONZE PASTE DI	Supersedes : 30/01/2015

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Trade name/designation : BRONZE PASTE DI
Product code : 2500, 3000, 36, 4000, 5000, 6000, 9000, 13000, FT / DI / 80-20, 85-15, 90-10, 95-5 Basic Colour: Rich Gold, Pale Gold, Rich Pale Gold & Deep Gold

1.2. Relevant identified uses of the substance or mixture and uses advised against

Main use category : Industrial uses, Professional uses .

1.3. Details of the supplier of the safety data sheet

Company : AVL METAL POWDERS n.v.
Elleboogstraat 7
B-8500 Kortrijk , Belgium, Europe
Telephone +32 (0)56 22 00 21
Telefax: +32 (0)56 22 64 14
E-mail: sales@avlmetalpowders.com
Website: www.avlmetalpowders.com
VAT: BE 0405 375 371 - RPR Kortrijk

1.4. Emergency telephone number

Emergency telephone : +32 (0)475 38 36 83 (This telephone number is available 24 hours per day, 7 days per week.)

IRELAND (REPUBLIC OF)
National Poisons Information Centre
Beaumont Hospital +353 18 37 99 64/+353 1 809 21 66
UNITED KINGDOM
National Poisons Information Service
(Newcastle Centre) 0844 892 0111 (UK only, Monday to Friday, 08.00 to 18.00 hours)
Regional Drugs and Therapeutics Centre,
Wolfson Unit

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

2.1.1. Classification according to Regulation (EU) 1272/2008

CLP-Classification : The product is classified as hazardous in accordance with Regulation (EC) No. 1272/2008.


Skin Irrit. 2 H315
Eye Irrit. 2 H319
Aquatic Acute 1 H400
Aquatic Chronic 1 H410

Full text of H-phrases: see section 16

2.1.2. Classification according to EU Directives 67/548/EEC or 1999/45/EC

Classification : This mixture is classified as hazardous according to 1999/45/EC.
Xi; R36/38
N; R50/53

Full text of R-phrases: see section 16

	SAFETY DATA SHEET	Page : 2 / 14
	BRONZE PASTE DI	Revision nr : 3
		Issue date : 09/03/2015
		Supersedes : 30/01/2015

2.2. Label elements

2.2.1. Labelling according to Regulation (EU) 1272/2008

Hazard pictograms :



GHS07

GHS09

Signal word :

Warning

Hazard statements :

H315 - Causes skin irritation.

H319 - Causes serious eye irritation.

H400 - Very toxic to aquatic life.

H410 - Very toxic to aquatic life with long lasting effects.

Precautionary statements :

P280 - Wear protective gloves/protective clothing/eye protection/face protection.

P273 - Avoid release to the environment.

P337+P313 - If eye irritation persists: Get medical advice/attention.

P391 - Collect spillage.

2.2.2. Labelling according to Directives (67/548 - 1999/45)

Not relevant

2.3. Other hazards

Other hazards :

PBT/vPvB data

This mixture contains no substance considered to be persistent, bioaccumulating nor toxic (PBT).

This mixture contains no substance considered to be very persistent nor very bioaccumulating (vPvB).

SECTION 3: Composition/information on ingredients

3.1. Substances


Not applicable

3.2. Mixtures

Substance name	Product identifier	%	Classification according to Directive 67/548/EEC
copper	(CAS No.) 7440-50-8 (EC No) 231-159-6 (REACH-no) 01-2119480154-42-XXXX	55 - 90	N; R50 R53
Zinc	(CAS No.) 7440-66-6 (EC No) 231-175-3 (EC Index) 030-001-01-9 (REACH-no) 01-2119467174-37-XXXX	5 - 30	N; R50/53
2-methylpentane-2,4-diol	(CAS No.) 107-41-5 (EC No) 203-489-0 (EC Index) 603-053-00-3 (REACH-no) 01-2119539582-35-XXXX	5 - 20	Xi; R36/38

Substance name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
copper	(CAS No.) 7440-50-8 (EC No) 231-159-6 (REACH-no) 01-2119480154-42-XXXX	55 - 90	Aquatic Acute 1, H400 (M=10) Aquatic Chronic 3, H412
Zinc	(CAS No.) 7440-66-6 (EC No) 231-175-3 (EC Index) 030-001-01-9 (REACH-no) 01-2119467174-37-XXXX	5 - 30	Aquatic Acute 1, H400 Aquatic Chronic 1, H410
2-methylpentane-2,4-diol	(CAS No.) 107-41-5 (EC No) 203-489-0 (EC Index) 603-053-00-3 (REACH-no) 01-2119539582-35-XXXX	5 - 20	Skin Irrit. 2, H315 Eye Irrit. 2, H319

Full text of R- and H-phrases: see section 16

	SAFETY DATA SHEET	Page : 3 / 14
	BRONZE PASTE DI	Revision nr : 3
		Issue date : 09/03/2015
		Supersedes : 30/01/2015

SECTION 4: First aid measures

4.1. Description of first aid measures

- Inhalation : Provide fresh air.
Keep at rest.
When in doubt or if symptoms are observed, get medical advice.
- Skin contact : Take off contaminated clothing.
Wash with plenty of water/.
When in doubt or if symptoms are observed, get medical advice.
- Eye contact : Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes.
Call a physician immediately.
- In case of ingestion : Rinse mouth immediately and drink plenty of water.
Do NOT induce vomiting.
Get medical advice/attention.
- Additional advice : First aider: Pay attention to self-protection!
See also section 8
Treat symptomatically.
Show this safety data sheet to the doctor in attendance.
When in doubt or if symptoms are observed, get medical advice.
Never give anything by mouth to an unconscious person or a person with cramps.

4.2. Most important symptoms and effects, both acute and delayed

- Inhalation : Repeated or prolonged exposure: (dust) May cause respiratory irritation.
- Skin contact : Causes skin irritation. May be absorbed through the skin. The following symptoms may occur: Dry skin, erythema (redness), Pain.
- Eye contact : Causes serious eye irritation. The following symptoms may occur: erythema (redness), Pain.
- Ingestion : May be irritating.
- Other adverse effects : none.

4.3. Indication of any immediate medical attention and special treatment needed

No data available

SECTION 5: Firefighting measures

5.1. Extinguishing media


- Suitable extinguishing media : Foam, ABC-powder, Carbon dioxide, Dry sand
- Extinguishing media which must not be used for safety reasons: : Water

5.2. Special hazards arising from the substance or mixture

- Fire hazard : Non-flammable.
- Specific hazards : The pressure in sealed containers can increase under the influence of heat.
Burning produces noxious and toxic fumes.
Hazardous decomposition products
metal oxides
Do not allow run-off from fire-fighting to enter drains or water courses.
Dispose according to legislation.

5.3. Advice for firefighters

- Advice for firefighters : Special protective equipment for firefighters.
In case of fire: Wear self-contained breathing apparatus.
Use water spray jet to protect personnel and to cool endangered containers.
Evacuate area.

	SAFETY DATA SHEET	Page : 4 / 14
	BRONZE PASTE DI	Revision nr : 3
		Issue date : 09/03/2015
		Supersedes : 30/01/2015

Collect contaminated fire extinguishing water separately. This must not be discharged into drains.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

- For non-emergency personnel :
- Evacuate area.
 - Provide adequate ventilation.
 - Use personal protective equipment as required.
 - Personal protection equipment: see section 8
 - Avoid contact with skin, eyes and clothes.
 - Avoid generation of dust.
 - Do not breathe vapours/dust.
 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
 - Take precautionary measures against static discharges.
 - Use explosion-proof machinery, apparatus, ventilation facilities, tools etc.
 - Use only non-sparking tools.
- For emergency responders :
- Ensure procedures and training for emergency decontamination and disposal are in place.
 - Personal protection equipment: see section 8.

6.2. Environmental precautions

- Environmental precautions :
- Do not allow to enter into surface water or drains.

6.3. Methods and material for containment and cleaning up

- Methods for cleaning up :
- Stop leak if safe to do so.
 - Absorb with liquid-binding material (e.g. sand, diatomaceous earth, acid- or universal binding agents).
 - Collect in closed and suitable containers for disposal.
 - Dispose according to legislation.
 - Site should have a spill plan to ensure that adequate safeguards are in place to minimize the impact of episodic releases.

6.4. Reference to other sections

- Personal protection equipment: see section 8
Disposal: see section 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

- Handling :
- Use only in well-ventilated areas.
 - Provide adequate ventilation.
 - Use personal protective equipment as required.
 - Personal protection equipment: see section 8 .
 - Avoid contact with skin, eyes and clothes.
 - Avoid generation of dust.
 - Do not breathe vapours/dust.
 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
 - Take precautionary measures against static discharges.
 - Ensure that the equipment is adequately grounded.
 - Take any precaution to avoid mixing with incompatible materials.
 - See also section 10
 - Ensure proper process control to avoid excess waste discharge (temperature, concentration, pH, time).
 - Do not allow to enter into surface water or drains.
- Advices on general occupational hygiene :
- Keep good industrial hygiene.
 - When using do not eat, drink or smoke.

	SAFETY DATA SHEET	Page : 5 / 14
	BRONZE PASTE DI	Revision nr : 3
		Issue date : 09/03/2015
		Supersedes : 30/01/2015

Wash hands before breaks and immediately after using the product.
Take off contaminated clothing.

7.2. Conditions for safe storage, including any incompatibilities

Storage : Flammable solids
Keep container tightly closed in a cool, well-ventilated place.
Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
Protect from sunlight.
Protect from moisture.
Do not store near or with any of the incompatible materials listed in section 10.
Maximum storage period (time) :
12 months.

Packaging materials : Keep/Store only in original container.

7.3 Specific end use(s)

No data available.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Exposure limit values :

copper (7440-50-8)		
Austria	MAK (mg/m ³)	1 mg/m ³ (inhalable fraction) 0,1 mg/m ³ (respirable fraction, smoke)
Austria	MAK Short time value (mg/m ³)	4 mg/m ³ (inhalable fraction) 0,4 mg/m ³ (respirable fraction, smoke)
Belgium	Limit value (mg/m ³)	0,2 mg/m ³ (fume) 1 mg/m ³ (dust and mist)
Bulgaria	OEL TWA (mg/m ³)	0,1 mg/m ³ (metal vapor)
Croatia	GVI (granična vrijednost izloženosti) (mg/m ³)	0,2 mg/m ³ (fume) 1 mg/m ³ (dust)
Croatia	KGVI (kratkotrajna granična vrijednost izloženosti) (mg/m ³)	2 mg/m ³ (dust and fumes)
France	VLE (mg/m ³)	2 mg/m ³ (dust)
France	VME (mg/m ³)	0,2 mg/m ³ (fume) 1 mg/m ³ (dust)
Greece	OEL TWA (mg/m ³)	0,2 mg/m ³ (fume) 1 mg/m ³ (dust)
Greece	OEL STEL (mg/m ³)	2 mg/m ³ (dust)
Italy - Portugal - USA ACGIH	ACGIH TWA (mg/m ³)	0,2 mg/m ³ (fume)
Latvia	OEL TWA (mg/m ³)	0,5 mg/m ³
Spain	VLA-ED (mg/m ³)	0,2 mg/m ³ (fume) 1 mg/m ³ (dust and mist)
Switzerland	VLE (mg/m ³)	0,2 mg/m ³ (inhalable)
Switzerland	VME (mg/m ³)	0,1 mg/m ³ (inhalable)
Netherlands	Grenswaarde TGG 8H (mg/m ³)	0,1 mg/m ³ (inhalable fraction)
United Kingdom	WEL TWA (mg/m ³)	1 mg/m ³ (dust and mists) 0,2 mg/m ³ (fume)
United Kingdom	WEL STEL (mg/m ³)	0,6 mg/m ³ (calculated-fume) 2 mg/m ³ (dust and mist)

	SAFETY DATA SHEET		Page : 6 / 14
			Revision nr : 3
	BRONZE PASTE DI		Issue date : 09/03/2015
			Supersedes : 30/01/2015

copper (7440-50-8)		
Czech Republic	Expoziční limity (PEL) (mg/m ³)	1 mg/m ³ (dust) 0,1 mg/m ³ (fume)
Denmark	Grænseværdie (langvarig) (mg/m ³)	1,0 mg/m ³ (dust and powder) 0,1 mg/m ³ (fume)
Finland	HTP-arvo (8h) (mg/m ³)	1 mg/m ³ 0,1 mg/m ³ (respirable dust and fume)
Hungary	AK-érték	1 mg/m ³ 0,1 mg/m ³ (fume)
Hungary	CK-érték	4 mg/m ³ 0,4 mg/m ³ (fume)
Ireland	OEL (8 hours ref) (mg/m ³)	0,2 mg/m ³ (fume) 1 mg/m ³ (dust and mist)
Ireland	OEL (15 min ref) (mg/m ³)	0,6 mg/m ³ (calculated-fume) 2 mg/m ³ (dust and mist)
Lithuania	IPRV (mg/m ³)	1 mg/m ³ (inhalable fraction) 0,2 mg/m ³ (respirable fraction)
Norway	Gjennomsnittsverdier (AN) (mg/m ³)	0,1 mg/m ³ (fume) 1 mg/m ³ (dust)
Norway	Gjennomsnittsverdier (Korttidsverdi) (mg/m ³)	0,3 mg/m ³ (fume) 3 mg/m ³ (dust)
Poland	NDS (mg/m ³)	0,2 mg/m ³
Romania	OEL TWA (mg/m ³)	0,50 mg/m ³ (powder)
Romania	OEL STEL (mg/m ³)	0,20 mg/m ³ (fume) 1,50 mg/m ³ (dust)
Slovakia	NPHV (priemerná) (mg/m ³)	1 mg/m ³ (dust) 0,1 mg/m ³ (fume)
Slovakia	NPHV (Hraničná) (mg/m ³)	2 mg/m ³ (dust) 0,2 mg/m ³ (fume)
Sweden	nivågränsvärde (NVG) (mg/m ³)	1 mg/m ³ (total dust) 0,2 mg/m ³ (respirable dust)

Zinc (7440-66-6)		
Switzerland	VLE (mg/m ³)	0,4 mg/m ³ (respirable)
Switzerland	VME (mg/m ³)	0,1 mg/m ³ (respirable) 2 mg/m ³ (inhalable)

2-methylpentane-2,4-diol (107-41-5)		
Austria	MAK (mg/m ³)	49 mg/m ³
Austria	MAK (ppm)	10 ppm
Austria	MAK Short time value (mg/m ³)	49 mg/m ³
Austria	MAK Short time value (ppm)	10 ppm
Belgium	Limit value (mg/m ³)	123 mg/m ³
Belgium	Limit value (ppm)	25 ppm
Croatia	GVI (granična vrijednost izloženosti) (mg/m ³)	123 mg/m ³
Croatia	GVI (granična vrijednost izloženosti) (ppm)	25 ppm
Croatia	KGVI (kratkotrajna granična vrijednost izloženosti) (mg/m ³)	123 mg/m ³
Croatia	KGVI (kratkotrajna granična vrijednost izloženosti) (ppm)	25 ppm
France	VLE (mg/m ³)	125 mg/m ³

	SAFETY DATA SHEET	Page : 7 / 14
		Revision nr : 3
		Issue date : 09/03/2015
	BRONZE PASTE DI	Supersedes : 30/01/2015

2-methylpentane-2,4-diol (107-41-5)		
France	VLE (ppm)	25 ppm
Greece	OEL TWA (mg/m ³)	125 mg/m ³
Greece	OEL TWA (ppm)	25 ppm
Greece	OEL STEL (mg/m ³)	125 mg/m ³
Greece	OEL STEL (ppm)	25 ppm
Italy - Portugal - USA ACGIH	ACGIH Ceiling (ppm)	25 ppm
Spain	VLA-EC (mg/m ³)	123 mg/m ³
Spain	VLA-EC (ppm)	25 ppm
Switzerland	VLE (mg/m ³)	98 mg/m ³
Switzerland	VLE (ppm)	20 ppm
Switzerland	VME (mg/m ³)	49 mg/m ³
Switzerland	VME (ppm)	10 ppm
United Kingdom	WEL TWA (mg/m ³)	123 mg/m ³
United Kingdom	WEL TWA (ppm)	25 ppm
United Kingdom	WEL STEL (mg/m ³)	123 mg/m ³
United Kingdom	WEL STEL (ppm)	25 ppm
Finland	HTP-arvo (8h) (mg/m ³)	120 mg/m ³
Finland	HTP-arvo (8h) (ppm)	25 ppm
Finland	HTP-arvo (15 min)	200 mg/m ³
Finland	HTP-arvo (15 min) (ppm)	40 ppm
Ireland	OEL (15 min ref) (mg/m ³)	125 mg/m ³
Ireland	OEL (15 min ref) (ppm)	25 ppm
Lithuania	NRV (mg/m ³)	120 mg/m ³
Lithuania	NRV (ppm)	25 ppm
Norway	Gjennomsnittsverdier (Takverdi) (mg/m ³)	100 mg/m ³
Norway	Gjennomsnittsverdier (Takverdi) (ppm)	20 ppm
Poland	NDSP (mg/m ³)	120 mg/m ³
Sweden	takgränsvärde (TGV) (mg/m ³)	120 mg/m ³
Sweden	takgränsvärde (TGV) (ppm)	25 ppm

Recommended monitoring procedures : Concentration measurement in air
Personal air monitoring

8.2. Exposure controls

- Personal protection equipment : The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.
- Respiratory protection : In case of insufficient ventilation, wear suitable respiratory equipment.
Half-face mask (DIN EN 140) (EN 140)
Full face mask (EN 136) (EN 136)
Filter type: A/P (EN 141)
- Hand protection : The selection of specific gloves for a specific application and time of use in a working area, should also take into account other factors on the working space, such as (but not limited to): other chemicals that are possibly used, physical requirements (protection against cutting/drilling, skill, thermal protection), and the instructions/specification of the supplier of gloves.,Breakthrough time (maximum wearing time) : >480',Butyl caoutchouc (butyl rubber),Wear chemically resistant gloves (tested to EN374) .,PVC (Polyvinyl chloride),

	SAFETY DATA SHEET	Page : 8 / 14
		Revision nr : 3
	BRONZE PASTE DI	Issue date : 09/03/2015
		Supersedes : 30/01/2015

Eye protection	:	Tightly fitting safety goggles (EN166). Wear eye glasses with side protection according to EN 166.
Body protection	:	Wear suitable protective clothing. Chemical resistant safety shoes Wear suitable coveralls to prevent exposure to the skin.
Thermal hazard protection	:	Not required under normal use.
Engineering control measures	:	Provide adequate ventilation. Use only in area provided with appropriate exhaust ventilation. A washing facility/water for eye and skin cleaning purposes should be present. Ensure that the equipment is adequately grounded. Take precautionary measures against static discharges. Organisational measures to prevent/limit releases, dispersion and exposure See also section 7
Environmental exposure controls	:	Do not allow to enter into surface water or drains. Comply with applicable Community environmental protection legislation.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Appearance	:	Paste
Colour	:	bronze
Odour	:	sweet
Odour threshold:	:	No data available
Odour threshold:	:	No data available
pH	:	Not applicable
Melting point/freezing point	:	850 °C bronze -50 °C Solvent
Initial boiling point and boiling range	:	2300 °C bronze 196 - 198 °C Solvent
Flash point	:	90 - 93 °C Solvent
Evaporation rate	:	No data available
Flammability (solid, gas)	:	Non-flammable.
Upper/lower flammability or explosive limits	:	LEL: 1 vol % Solvent UEL: 9,9 vol % Solvent
Vapour pressure	:	(20 °C) 0,0007 Pa Solvent
Vapour density	:	(Air=1) 4,1 Solvent
Density	:	(20 °C) 7,14 - 8,96 g/cm ³ bronze
Relative density	:	(Water=1) 0,7 kg/l bronze
Water solubility	:	Insoluble
Solubility in different media	:	No data available
Partition coefficient n-octanol/water	:	0,6 Solvent
Auto-ignition temperature	:	425 °C Solvent
Decomposition temperature	:	No data available
Kinematic viscosity	:	(20 °C) 39 mm ³ /s Solvent
Dynamic viscosity	:	(20 °C) 34 - 39 mPa.s Solvent
Explosive properties	:	Not applicable The study does not need to be conducted because there are no

	SAFETY DATA SHEET	Page : 9 / 14
	BRONZE PASTE DI	Revision nr : 3
		Issue date : 09/03/2015
		Supersedes : 30/01/2015

Oxidising properties : chemical groups associated with explosive properties present in the molecule.
: Not applicable
The classification procedure needs not to be applied because there are no chemical groups present in the molecule which are associated with oxidising properties.

9.2. Other information

Surface tension : (20 °C) 33 mN/m Solvent

SECTION 10: Stability and reactivity

10.1. Reactivity

Reactivity : Combustible solids
Reference to other sections: 10.5

10.2. Chemical stability

Stability : The product is stable under storage at normal ambient temperatures.

10.3. Possibility of hazardous reactions

Possibility of hazardous reactions : None under normal processing.
Reference to other sections: 10.4 & 10.5

10.4. Conditions to avoid

Conditions to avoid : Keep away from sources of heat (e.g. hot surfaces), sparks and open flames.
Avoid generation of dust.
See also section 7
Handling and storage

10.5. Incompatible materials

Incompatible materials : Acids and bases ., Oxidising substances ., Halogens, Halogenated compounds ., See also section 7, Handling and storage

10.6. Hazardous decomposition products

Hazardous decomposition products : Carbon oxides, metal oxides . Reference to other sections: 5.2


SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity : Not classified (Based on available data, the classification criteria are not met.)

Zinc (7440-66-6)	
LD50/oral/rat	2000 mg/kg (OECD 401)
LC50/inhalation/4h/rat	> 5,41 mg/m ³ (OECD 403)
ATE CLP (oral)	2000 mg/kg bodyweight

2-methylpentane-2,4-diol (107-41-5)	
LD50/oral/rat	> 3500 mg/kg
LD50/dermal/rabbit	> 5000 nl/kg
LC50/inhalation/4h/rat	> 310 mg/m ³ (Exposure time: 1 h)

	SAFETY DATA SHEET	Page : 10 / 14
	BRONZE PASTE DI	Revision nr : 3
		Issue date : 09/03/2015
		Supersedes : 30/01/2015

Skin corrosion/irritation	: Causes skin irritation. 2-methylpentane-2,4-diol : Causes skin irritation. pH: Not applicable
Serious eye damage/eye irritation	: Causes serious eye irritation. 2-methylpentane-2,4-diol : Causes serious eye irritation. pH: Not applicable
Respiratory or skin sensitisation	: Not classified (Based on available data, the classification criteria are not met.)
Germ cell mutagenicity	: Not classified (Based on available data, the classification criteria are not met.)
Carcinogenicity	: Not classified (Based on available data, the classification criteria are not met.)
Reproductive toxicity	: Not classified (Based on available data, the classification criteria are not met.)
STOT-single exposure	: Not classified (Based on available data, the classification criteria are not met.)
STOT-repeated exposure	: Not classified (Based on available data, the classification criteria are not met.)
Aspiration hazard	: Not classified (Based on available data, the classification criteria are not met.)

Other information

Symptoms related to the physical, chemical and toxicological characteristics, Reference to other sections: 4.2


SECTION 12: Ecological information

12.1. Toxicity

Toxicity : Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

copper (7440-50-8)	
LC50 fish 1	0,0068 - 0,0156 mg/l (Exposure time: 96 h - Species: Pimephales promelas)
EC50 Daphnia 1	0,03 mg/l (Exposure time: 48 h - Species: Daphnia magna [Static])
LC50 fish 2	< 0,3 mg/l (Exposure time: 96 h - Species: Pimephales promelas [static])
EC50 72h algae [mg/l] (1)	0,0426 - 0,0535 mg/l (Species: Pseudokirchneriella subcapitata [static])
EC50 96h algae [mg/l] (1)	0,031 - 0,054 mg/l (Species: Pseudokirchneriella subcapitata [static])

Zinc (7440-66-6)	
LC50 fish 1	439 µg/l Cottus bairdii (pH 6-6.5) 780 µg/l Pimephales promelas (fathead minnow) (pH 7-7.5) 330 µg/l Pimephales promelas (fathead minnow) (pH 8- 8.5) 500 µg/l Pimephales promelas (fathead minnow)
EC50 Daphnia 1	2909 - 2140 µg/l (OECD 202)
EC50 other aquatic organisms 1	(OECD 202) 0,937 mg/l Poecilia reticulata (Guppy) (OECD 202) 0,416 mg/l Ceriodaphnia Dubia (water flea)
EC50 72h algae [mg/l] (1)	0,09 - 0,125 mg/l (Species: Pseudokirchneriella subcapitata [static])
EC50 96h algae [mg/l] (1)	0,11 - 0,271 mg/l (Species: Pseudokirchneriella subcapitata [static])
LOEC (chronic)	240 µg/L Pimephales promelas (fathead minnow)
NOEC chronic fish	(30d) 169 µg/L Cottus bairdii

	SAFETY DATA SHEET	Page : 11 / 14
		Revision nr : 3
		Issue date : 09/03/2015
	BRONZE PASTE DI	Supersedes : 30/01/2015

Zinc (7440-66-6)	
Additional information	NOEC, aquatic invertebrates, long term, Ceriodaphnia Dubia (water flea): 25 µg/L (7 days, freshwater) NOEC, aquatic invertebrates, long term, Daphnia magna (Big water flea): 100 µg/L (3 weeks, freshwater) NOEC, aquatic invertebrates, long term, Mytilus edulis: 75 µg/L (3 days, freshwater) NOEC, aquatic algae, Pseudokirchneriella subcapitata: 24 µg/L (72 hours, OECD 201) LOAEC, aquatic algae, Nitzschia closterium: 20 µg/L (4 days)

2-methylpentane-2,4-diol (107-41-5)	
LC50 fish 1	(96h) 9450 mg/l Oncorhynchus mykiss (Rainbow trout)
EC50 Daphnia 1	5410 mg/l (48h)
LC50 fish 2	(96h) 8690 mg/l Pimephales promelas (fathead minnow)
ErC50 (algae)	(72 h) > 420 mg/l Pseudokirchneriella subcapitata

12.2. Persistence and degradability

Persistence and degradability : Solvent
Readily biodegradable.

12.3. Bioaccumulative potential

Bioaccumulation : Bioaccumulation is unlikely.
Solvent
Partition coefficient n-octanol/water : 0,6 Solvent

12.4. Mobility in soil

Mobility : No data available
Surface tension : (20 °C) 33 mN/m Solvent

12.5. Results of PBT and vPvB assessment

PBT/vPvB data : PBT/vPvB data
This mixture contains no substance considered to be persistent, bioaccumulating nor toxic (PBT).
This mixture contains no substance considered to be very persistent nor very bioaccumulating (vPvB).

12.6. Other adverse effects


Other information :

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Product waste: : Handle with care.
Safe handling: see section 7
Handling and storage
Collect and dispose of waste product at an authorised disposal facility.
Refer to manufacturer/supplier for information on recovery/recycling.
If recycling is not practicable, dispose of in compliance with local regulations.
Dispose according to legislation.

Contaminated packaging : If recycling is not practicable, dispose of in compliance with local regulations.
Empty containers should be taken to local recyclers for disposal.
Do not burn, or use a cutting torch on, the empty drum.
Do not puncture or incinerate.

	SAFETY DATA SHEET	Page : 12 / 14
		Revision nr : 3
		Issue date : 09/03/2015
	BRONZE PASTE DI	Supersedes : 30/01/2015

Further ecological information : Do not allow to enter into surface water or drains.
List of proposed waste codes/waste designations in accordance with EWC : Classified as hazardous waste according to European Union regulations. Waste codes should be assigned by the user, preferably in discussion with the waste disposal authorities.

SECTION 14: Transport information

14.1. UN number

UN number : 3077

14.2. UN proper shipping name

Proper Shipping Name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.(Zinc ; Copper)
Proper shipping name IATA/IMDG : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (Zinc, Copper)

14.3. Transport hazard class(es)

14.3.1. Overland transport

Class(es) : 9 - Miscellaneous dangerous substances and articles
Hazard identification number (Kemler No.) : 90
Classification code : M7
ADR/RID-Labels : 9 - Miscellaneous dangerous substances and articles



14.3.2. Inland waterway transport (ADN)

Class (UN) : 9

14.3.3. Transport by sea

Class or Division : 9 - Miscellaneous dangerous substances and articles

14.3.4. Air transport

Class or Division : 9 - Miscellaneous dangerous substances and articles

14.4. Packing group

Packing group : III

14.5. Environmental hazards

Environmental hazards : N



Other information : No supplementary information available.

14.6 Special precautions for user

Special precautions for user : No data available.

14.7 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

No data available

	SAFETY DATA SHEET	Page : 13 / 14
		Revision nr : 3
		Issue date : 09/03/2015
	BRONZE PASTE DI	Supersedes : 30/01/2015

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

The following restrictions are applicable according to Annex XVII of the REACH Regulation (EC) No 1907/2006 :

3. Liquid substances or mixtures which are regarded as dangerous in accordance with Directive 1999/45/EC or are fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008 : 2-methylpentane-2,4-diol

40. Substances classified as flammable gases category 1 or 2, flammable liquids categories 1, 2 or 3, flammable solids category 1 or 2, substances and mixtures which, in contact with water, emit flammable gases, category 1, 2 or 3, pyrophoric liquids category 1 or pyrophoric solids category 1, regardless of whether they appear in Part 3 of Annex VI to Regulation (EC) No 1272/2008 or not. : BRONZE PASTE DI

This product contains an ingredient according to the candidate list of Annex XIV of the REACH Regulation 1907/2006/EC. : None

Authorisations : Not applicable

15.1.2. National regulations

DE : WGK : 2
 DE : German storage class (LGK) : LGK 4.1B - Flammable solids
 DE : Technische Regeln für Gefahrstoffe (TRGS) : applicable
 FR : Installations classées : 1450;117x
 NL : ABM : 4 - Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment. (A)

15.2. Chemical safety assessment

Chemical Safety Assessment : For the following substances of this preparation a chemical safety assessment has been carried out:
 Copper
 Zinc
 2-methylpentane-2,4-diol

SECTION 16: Other information

Full text of R-, H- and EUH-phrases:

Aquatic Acute 1 : Hazardous to the aquatic environment - Aquatic Acute 1
 Aquatic Chronic 1 : Hazardous to the aquatic environment - chronic hazard category 1
 Aquatic Chronic 3 : Hazardous to the aquatic environment - chronic hazard category 3
 Eye Irrit. 2 : Serious eye damage/eye irritation Category 2
 Skin Irrit. 2 : Skin corrosion/irritation, Category 2
 H315 : Causes skin irritation.
 H319 : Causes serious eye irritation.
 H400 : Very toxic to aquatic life.
 H410 : Very toxic to aquatic life with long lasting effects.
 H412 : Harmful to aquatic life with long lasting effects.
 R36/38 : Irritating to eyes and skin.
 R50 : Very toxic to aquatic organisms.

	SAFETY DATA SHEET	Page : 14 / 14
		Revision nr : 3
		Issue date : 09/03/2015
	BRONZE PASTE DI	Supersedes : 30/01/2015

R50/53 : Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.
R53 : May cause long-term adverse effects in the aquatic environment.
N : Dangerous for the environment
Xi : Irritant

Key literature references and sources for data : European Metal Particulate Association (EMPA)
Supplier SDS

Abbreviations and acronyms : ADN = Accord Européen relatif au Transport International des Marchandises Dangereuses par voie de Navigation du Rhin
ADR = Accord européen relatif au transport international des marchandises Dangereuses par Route
CLP = Classification, Labelling and Packaging Regulation according to 1272/2008/EC
IATA = International Air Transport Association
IMDG = International Maritime Dangerous Goods Code
LEL = Lower Explosive Limit/Lower Explosion Limit
UEL = Upper Explosion Limit/Upper Explosive Limit
REACH = Registration, Evaluation, Authorisation and Restriction of Chemicals
TWA = time weighted average
STEL = Short term exposure limit
PBT = persistent, bioaccumulating and toxic (PBT).
vPvB = very persistent and very bioaccumulating
EWC = European Waste Catalogue
NA = Not applicable
LC50 = Median lethal concentration
LD50 = Median lethal dose
EC50 = Median Effective Concentration
N.O.S. = Not Otherwise Specified
WGK = Wassergefährdungsklasse (Water Hazard Class under German Federal Water Management Act)

The contents and format of this SDS are in accordance with EEC Commission Directive 1999/45/EC, 67/548/EC, 1272/2008/EC and EEC Commission Regulation 1907/2006/EC (REACH) Annex II.

DISCLAIMER OF LIABILITY The information in this SDS was obtained from sources which we believe are reliable. However, the information is provided without any warranty, express or implied, regarding its correctness. The conditions or methods of handling, storage, use or disposal of the product are beyond our control and may be beyond our knowledge. For this and other reasons, we do not assume responsibility and expressly disclaim liability for loss, damage or expense arising out of or in any way connected with the handling, storage, use or disposal of the product. This SDS was prepared and is to be used only for this product. If the product is used as a component in another product, this SDS information may not be applicable.